

参考文献

- (1) Capen C.C., and Young D.M., Thyrocalcitonin: evidence for release in a spontaneous hypocalcemic disorder. *Science* 157: 205-206. (1967)
- (2) Ender F., and Dishington I.W., Etiology and prevention of paresis puerperalis in dairy cows. In parturient hypocalcemia, ed. By J.J.B. Anderson, Acad. Press, New York and London 71-79. (1970)
- (3) Henry D. and Russell G., Its possible association with derangements in the internal secretions. *Vet. Rec.* Vol 5. 225-231. (1925)
- (4) Horst R.H., Goff J.P., Reinhardt T.A. and Buxton D.R. Strategies for preventing milk fever in dairy cattle. *J. Dairy Sci.* 80: 1269-1280. (1997)
- (5) Phillip M. and Reid G.W. Parturient hypocalcaemia in dairy cows: effects of dietary acidity on plasma minerals and calciotrophic hormones. *Res. Vet. Sci.* 56:303-309. (1994)
- (6) Hibbs J.W. Milk Fever (Parturient Paresis) in Dairy Cows — A Review. *J. Dairy. Sci.* 33:758-789. (1950)
- (7) Craige A.H. Milk Fever (Parturient Paresis) as manifestation of alkalosis. *Ani. J. Vet. Res.* 8:168-172. (1946)
- (8) Braithwaite G.D., The effect of ammonium chloride on calcium metabolism in sheep. *Br. J. Nutr.* Vol 27,201-209. (1971)
- (9) Kuroasaki N., Yamato O., Mori F., et al., Preventive effect of mildly altering dietary cation-anion difference on milk fever in dairy cows. *J. Vet. Med. Sci.* 69(2):185-192 (2007)
- (10) Barzel U.S., Jowsey J., *Clin. Sci.* 36. 517 (1969)
- (11) Mayer G.P., Ramberg C.F., Kronfeld D.S., et al. Plasma parathyroid hormone concentrations in hypocalcemic parturient cows. *Am. J. Vet. Res.* 30: 1587-1597. (1969)
- (12) Tucker W.B., Harrison G.A. and Hemken R.W., Influence of dietary cation-anion balance on milk, blood, urine, and rumen fluid in lactating dairy cattle. *J. Dairy Sci.* 71:346-354. (1988)
- (13) Whiting S.J., and Cole D.E.C., Effect of dietary anion composition on acid induced hypercalciuria in rat. *J. Nutr.* 116:388-394. (1986)
- (14) Block E., Manipulating dietary anions and cations for prepartum dairy cows to reduce incidence of milk fever. *J. Dairy Sci.* 67:2939-2948. (1984)
- (15) Freedman A.H., Depeters E.J., and Baldwin R.L., Characterization of acid-base disturbances and the effects on calcium and phosphorus balances of dietary fixed ions in pregnant or lactating does. *J. Anim. Sci.* 66:174-184. (1988)
- (16) Ching S.V., Fettman M.J., Hamar D.W., et al., The effect of chronic dietary acidification using ammonium chloride on acid-base and mineral metabolism in the adult cat. *J. Nutri.* 119:902-915. (1989)
- (17) Peterson N.A., Feigen G.A., and Crisman J.M., Effect of pH on interaction of calcium ions with serum protein. *Am. J. Physiol.* 201:386-392 (1961)

- (18) Ramberg C.F., Johnson E.K., Fargo R.D. etc., Calcium homeostasis in cows with special reference to parturient hypocalcemia. *Am. J. Physiol.* 246:R698. (1984)
- (19) Dryerre H., and Greig J.R., Milk fever: its possible association with derangements in the internal secretions. *Vet. Rec.* 5:225-231. (1925)
- (20) Goings R.L., Jacobson N.L., Beiz D.C., et al., Prevention of parturient paresis by a prepartum, Calcium-Deficient Diet. *J. Dairy Sci.* 57:1184-1188. (1974)
- (21) Wiggers K.D., Nelson P.K., and Jacobsen N.L., Prevention of parturient paresis by a low calcium diet prepartum: a field study. *J. Dairy Sci.* 58:430-431. (1975)
- (22) Horst R.L., Goff J.P., Reinhardt T.A., et al., Plasma 1,25-dihydroxyvitamin D and parathyroid hormone levels in paretic dairy cows. *Am. J. Physiol.* 235:E634-E637. (1978)
- (23) Goff J.P., Horst R.L., Mueller F.J., et al., Addition of chloride to a prepartal diet high in cations increase 1,25-dihydroxyvitamin D response to hypocalcemia preventing milk fever. *J. Dairy Sci.* 74:3863-3871. (1991)
- (24) Beck N., and Webster S.K., Effects of acute metabolic acidosis on parathyroid hormone action and calcium mobilization. *Am. J. Physiol.* 230:N01.127-131. (1976)
- (25) Burnell J.P., Changes in bone sodium and carbonate in metabolic acidosis and alkalosis in the dog. *J. Clin. Invest.* 50:327. (1971)
- (26) Bushinsky D.A., Krieger N.S., Geisser D.I., et al., Effect of pH on bone calcium and proton fluxes in vitro. *Am. J. Physiol.* 245:F204-F209. (1983)
- (27) Bushinsky D.A., Metabolic alkalosis decreases bone calcium efflux by suppressing osteoclasts and stimulating osteoblasts. *Am. J. Physiol.* 271:F216-F222 (1996)
- (28) Goff J.P., Pathophysiology of calcium and phosphorus disorders. Veterinary clinics of North America: Food animal practice. 16:N02:319-337. (2000)
- (29) Goff J.P., Littledike E.T., and Horst R.L., Effect of synthetic bovine parathyroid hormone in dairy cows: Prevention of hypocalcemic parturient paresis. *J. Dairy Sci.* 69:2278-2289. (1986)
- (30) Goff J.P., and Horst R.L., Use of hydrochloric acid as a source of anions for prevention of milk fever. *J. Dairy Sci.* 81:2874-2880. (1998)
- (31) Jardon P.W., Using urine pH to monitor anionic salt programs. *Compend. Contin. Educ. Pract. Vet.* 17:860-862. (1995)
- (32) Charbonneau E., Pellerin D., and Oetzel G.R., Impact of lowering dietary cation-anion difference in nonlactating dairy cows: A meta-analysis. *J. Dairy Sci.* 89: 537-548. (2006)
- (33) Kurosaki N., Yamato O., Sato J., et al. Biomarkers for the activation of calcium metabolism in dairy cows: Elevation of Tartrate-Resistant Acid Phosphatase activity by lowering dietary cation-anion difference is associated with the prevention of milk fever. *J. Vet. Med. Sci.* 69 (3): 265-270. (2007)
- (34) Penner G.B., Tremblay G.F., and Oba M., Timothy hay with a low dietary cation-anion difference



- improves calcium homeostasis in periparturient Holstein cows. *J. Dairy Sci.* 91: 1959-1968. (2008)
- (35) Heron V.S., Tremblay G.F., and Oba M., Timothy hays differing in dietary cation-anion difference affect the capability of dairy cows to maintain their calcium homeostasis. *J. Dairy Sci.* 92:238-246. (2009)
- (36) Block E., Revisiting negative dietary cation-anion difference balancing for prepartum cows and its impact on hypocalcaemia and performance. Florida ruminant nutrition symposium 22nd Annual meeting. 32-50. (2011)
- (37) Coppock C.E., Noller ChH., Wolfe S.A., et al. Effect of forage -concentrate ratio in complete feeds fed ad libitum on feed intake prepartum and the occurrence of abomasal displacement in dairy cows. *J. Dairy Sci.* 55: 783-789 (1972)
- (38) Marquardt J.P., Horst R.L., Jorgensen N.A., Effect of parity on dry matter intake at parturition in dairy cattle. *J. Dairy Sci.* 60: 929-934 (1977)
- (39) Zamet C.N., Colenbrander V.F., Callahan C.J., et al. Variables associated with peripartum traits in dairy cows. I. Effect of dietary forages and disorders on voluntary intake of feed, body weight and milk yield. *Theriogenology.* 11: 229 (1979)
- (40) Curtis C.R., Hollis N., Sniffen C.J., et al. Path analysis of dry period nutrition, postpartum metabolic and reproductive disorders, and mastitis in Holstein cows. *J. Dairy Sci.* 68: 2347-2360. (1985)
- (41) Baird G.D., Primary ketosis in the high producing dairy cow; clinical and subclinical disorders, treatment, prevention and outlook. *J. Dairy Sci.* 65:1-10. (1982)
- (42) Gerloff B.J., Metabolic changes in the periparturient dairy cow and their effect on feeding strategies. Large animal medicine program: Fall conference for Vet. 21-43. (1985)
- (43) Van Saun R. J., Dry cow nutrition: The key to improving fresh cow performance. The veterinary clinics of North America. 7:2. 599-620. (1991)
- (44) Gerloff B.J., Herdt T.H., and Emery R.S., The relationship of hepatic lipidosis to health and performance in dairy cattle. *J. Am. Vet. Assoc.* 188:845. (1986)
- (45) Skaar T.C., Grummer R.R., Dentine M.R., et al. Seasonal effects of prepartum and postpartum fat and niacin feeding on lactation performance and lipid metabolism. *J. Dairy Sci.* 72:2028-2038. (1989)
- (46) Kleppe B.B., Aiello R.J., Grummer R.R., Triglyceride accumulation and very low density lipoprotein secretion by rat and goat hepatocytes in vitro. *J. Dairy Sci.* 71: 1813-1822. (1988)
- (47) Beritics S.J., Grummer R.R., Valino C.C., et al. Effect of prepartum dry matter intake on liver triglyceride concentration and early lactation. *J. Dairy Sci.* 75: 1914-1922. (1992)
- (48) Grummer R.R., Impact of changes in organic nutrient metabolism on feeding the transition dairy cow. *J. Anim. Sci.* 73:2820-2833. (1995)
- (49) Minor D.L., Trower B.D., Strang R.D., et al. Effect of nonfiber carbohydrate and niacin on

- periparturient metabolic status and lactation of dairy cows. *J. Dairy Sci.* 81:189-200. (1997)
- (50) Rabelo E., Bertics S.J., Mackovic J., et al. Strategies for increasing energy density of dry cow diets. *J. Dairy Sci.* 84:2240-2249. (2001)
- (51) Rabelo E., Rezende R.L., Bertics S.J., et al. Effects of pre-and postfresh transition diets varying in dietary energy density on metabolic status of periparturient dairy cows. *J. Dairy Sci.* 88:4375-4383. (2005)
- (52) Goff J.P., and Horst R.L., Physiological changes at parturition and their relationship to metabolic disorders. *J. Dairy Sci.* 80:1260-1268. (1997)
- (53) Holtenius P., Holtenius K., New aspects of ketone bodies in energy metabolism of dairy cows. A review. *J. Vet. Med. A.* 43:579-587. (1996)
- (54) Rukkwamsuk T., Wensing T., Geelen M.J., Effect of overfeeding during the dry period on regulation of adipose tissue metabolism in dairy cows during the periparturient period. *J. Dairy Sci.* 81:2904-2911. (1998)
- (55) Rukkwamsuk T., Wensing T., Geelen M.J., Effect of overfeeding during the dry period on esterification in adipose tissue of dairy cows during the periparturient period. *J. Dairy Sci.* 82:1164-1169. (1999)
- (56) Herdt T.H., Ruminant adaptation to negative energy balance: Influences on the etiology of ketosis and fatty liver. *The veterinary clinics of North America.* (2000)
- (57) Holcomb C.S., Van Horn H.H., Head H.H., et al. Effects of prepartum dry matter intake and forage percentage on postpartum performance of lactating dairy cows. *J. Dairy Sci.* 84: 2051-2058. (2001)
- (58) Agenas S., Burstedt E., and Holtenius K., Effects of feeding intensity during the dry period. 1. feed intake, body weight, and milk production. *J. Dairy Sci.* 86:870-882. (2003)
- (59) Holtenius K., Agenas S., Delavaud C., et al. Effects of feeding intensity during the dry period. 2. metabolic and hormonal responses. *J. Dairy Sci.* 86: 883-891. (2003)
- (60) Douglas G.N., Overton T.R., Bateman II H.G., et al. Prepartal plane of nutrition, regardless of dietary energy source, affects periparturient metabolism and dry matter intake in Holstein cows. *J. Dairy Sci.* 89: 2141-2157. (2006)
- (61) Dann H.M., Litherland N.B., Underwood J.P., et al. Diets during far-off and close-up dry periods affect periparturient metabolism and lactation in multiparous cows. *J. Dairy Sci.* 89: 3563-3577. (2006)
- (62) Mashak D.G., and Grummer R.R., The ups and downs of feed intake in prefresh cows. Four-State Nutr. Conf. LaCrosse, WI., MWPS-4SD16. 153-158. (2003)
- (63) Janovick N.A., Drackley J.K., Peripartum dietary management of energy intake affects postpartum intake and lactation performance by primiparous and multiparous Holstein cows. *J. Dairy Sci.* 93:3086-3102 (2010)
- (64) Janovick N.A., Boisclair Y.R., Drackley J.K., Prepartum dietary energy intake affects metabolism

- and health during the periparturient period in primiparous and multiparous Holstein cows. J. Dairy Sci. 94:1385-1400. (2011)
- (65) Drackley J.K., Managing energy and dry matter intake of dry cows. William H. Miner Agricultural Research Institute /Japan office. Fall Workshop (2008)
- (66) Overton T.R., Optimizing intake in dry and prefresh cows. Proceeding of the 10th Western Dairy Management Conference. Reno, Nevada, 195-206. (2011)
- (67) Suzuki Y., Personal communication. (2011)
- (68) Fujimori K., 乳牛のインスリン抵抗性を予防する飼養管理について. 日本家畜臨床学会、平成 20 年度研究発表会、第 39 回学術集会. 86-87. (2008)
- (69) Penner G.B., Beauchemin K.A., and Mutsangwa T., Severity of ruminal acidosis in primiparous Holstein cows during the periparturient period. J. Dairy Sci. 90: 365-375. (2007)
- (70) Drackley J.K., Back to a traditional approach: Re-evaluating the use of a single dry period diet. WCDS Advances in dairy technology 23:105-120. (2011)
- (71) Michel J. Casper. Beobachtung einer krankheit frisch kalbender kuehe. [Observation of a disease of fresh calving cows]. Arch. Thierhk. 2 (1): 10-15. (1820)
- 註 1: DCAD=(Na+K)-(Cl+S)
- 註 2: TRAP=Tartrate-Resistant Acid Phosphatase

2. 餌の乾物測定用に生ごみ乾燥機（リサイクラーの利用）

S 農場では、サイレージなどの乾物測定に家庭用生ごみ乾燥機を利用しています。乾燥時間は調整できるそうです。1 ~ 2 時間程度時間がかかるようです。



黒崎